

# **Overview of the Space Environment**

Dr. Brian Weeden Technical Advisor Secure World Foundation

USNWC Workshop on Milspace Ops and International Law Newport, RI Feb 8-10, 2017






- Basic physics of space
- National security uses of space
- Space debris
- Emerging and future security issues



# **PHYSICS OF SPACE**







- Gravity exists in space!
  - Mass causes space-time to bend and objects to accelerate towards the mass, this acceleration is known as "gravity"
  - Objects in orbit are pulled towards the Earth but miss because of their orbital velocity (i.e. "freefall")
- Rockets perform two functions
  - Lift payload to appropriate height (usually between 200km and 1000km for Near Earth)
  - Accelerates payload to the velocity needed to maintain orbit at that height (~7.6 km/s at 400km)



 ${\rm d} {\rm d} {\rm d} {\rm d}$ 

# **Basic Earth orbit typologies**

HEO GEO EARTH LEO MEO


	Name	Altitude	Inclination	Shape
LEO	Low Earth Orbit	250 - 2,000 km	Varies, many 80-100°	Mostly circular
MEO	Medium Earth Orbit	10,000 - 12,000 km	Varies	Circular
HEO	Highly Elliptical Orbit	1,000 km (perigee) 40,000 km (apogee)	63°	Elliptical
GEO	Geostationary Earth Orbit	36,000 km	Typically 0°	Circular

5

USNWC Workshop on Milspace Ops and International Law Newport, RI Feb 8-10, 2017



# **Ballistic vs orbital trajectories**



# Maximum altitude of a ballistic missile trajectory is roughly half the horizontal distance it will travel


USNWC Workshop on Milspace Ops and International Law Newport, RI Feb 8-10, 2017

swfound.org

6



# **Electromagnetic (EM) spectrum**




USNWC Workshop on Milspace Ops and International Law Newport, RI Feb 8-10, 2017

7




## **Atmospheric effects on EM spectrum**

Promoting Cooperative Solutions for Space Sustainability





# **Space weather**



USNWC Workshop on Milspace Ops and International Law Newport, RI Feb 8-10, 2017



# Implications


- Very small differences between long-range ballistic missiles and space launch vehicles
- Objects in Earth orbit need to be moving at relatively high speeds (typically 8-4 km/s) to stay in orbit, and require a lot of energy to change orbits
- There are specific orbits that are typically used for specific applications, but not hard limits
- There are specific parts of the EM spectrum that are best-suited for specific applications, and some hard limits to do otherwise
- Space weather can cause uncertainty in anomalies and malfunctions



# NATIONAL SECURITY USES OF SPACE



# Major military uses of space




Field of view of a single geostationary satellite Source: <u>Intelsat</u>

USNWC Workshop on Milspace Ops and International Law Newport, RI Feb 8-10, 2017




1-Meter Resolution Radar Image of the U.S. Capitol










USNWC Workshop on Milspace Ops and International Law Newport, RI Feb 8-10, 2017



# **Kinetic attacks on satellites**




Debris from 2007 Chinese ASAT Test

USNWC Workshop on Milspace Ops and International Law Newport, RI Feb 8-10, 2017




# Satellite jamming



USNWC Workshop on Milspace Ops and International Law Newport, RI Feb 8-10, 2017



## **Sources of interference**



Source: Eutelsat briefing to the ITU (2013)

USNWC Workshop on Milspace Ops and International Law Newport, RI Feb 8-10, 2017



## **Space EW in Ukraine**

At 13.01hrs and again at 13.19hrs the SMM UAV was subjected to serious electronic jamming while flying over "DPR"-controlled Chermalyk (40km NE of Mariupol). Initial analysis of the SMM UAV flight log data indicated that the SMM UAV was subjected to military-grade GPS Jamming. The Ukrainian Air Operations Liaison Officer to the "Anti-Terrorism Operation" ("ATO") headquarters in Sector 'M', who was immediately contacted by the SMM UAV Team, told the SMM at 13.24hrs that there was no Jamming by the Ukrainian forces. The SMM UAV left the area and landed safely. This is the third serious interference with the movement of the SMM UAV and is an impediment to the fulfilment of the Mission's mandate.

#### Source: Organization for Security and Cooperation in Europe

### Russian R-330ZH Zhitel



Source: Ukrainian journalist <u>Yaroslav Krechko</u>

USNWC Workshop on Milspace Ops and International Law Newport, RI Feb 8-10, 2017

17

### **Non-state actors**



### \$2,500 Phase-Coherent GPS Signal Synthesizer

Used to perform cyber attacks on GPS receivers using manipulated civil signals



Source: <u>Nighswander, Ledvina, Diamond,</u> <u>Brumley, and Brumley (</u>2012)

### \$85 million White Rose of Drachs

Successfully steered off course by UT grad students using homemade GPS spoofer



Source: UT Austin School of Engineering (2016)



- EM interference with satellite services is already commonplace
- Vast majority of interference is unintentional, but intentional is a big issue in specific regions
- Intentional EM interference with space capabilities has likely been part of every major conflict for last 10 years (or more)
- Technologies are proliferating to more state and non-state actors



# **SPACE DEBRIS**

USNWC Workshop on Milspace Ops and International Law Newport, RI Feb 8-10, 2017



**Current satellites on orbit** 

Total number of operating satellites: 1,419							
United States: 576		Russia: 140		China: 181	Other: 522		
LEO: 780		MEO: 96		Elliptical: 37	GEO: 506		
Total number of military satellites: 350							
Navigation	Weather	Communications	Missile Warning	Intelligence, Surveillance, & Reconnaissance	Technology Development		
101	10	117	10	113	30		


Source: Union of Concerned Scientists Satellite Database (includes launches through 6/30/16) <u>http://www.ucsusa.org/nuclear-weapons/space-weapons/satellite-database</u>

USNWC Workshop on Milspace Ops and International Law Newport, RI Feb 8-10, 2017




Promoting Cooperative Solutions for Space Sustainability

SECURE WORLD



### Number of objects



#### Mass of objects

Larger than 10 cm	~17,000	Sources of new debris
Between 1 and 10 cm	~500,000	Can cause major damage
Smaller than 1 cm	Many millions	Can cause minor damage

Data compiled from U.S. Strategic Command, NASA, and ESA Graphs from Jonathan's Space Page http://planet4589.org/.


USNWC Workshop on Milspace Ops and International Law Newport, RI Feb 8-10, 2017

# The next 200 years, if things stay the same

Promoting Cooperative Solutions for Space Sustainability

WORLD

FOUNDATION



USNWC Workshop on Milspace Ops and International Law Newport, RI Feb 8-10, 2017


swfound.org

23

## **Missile defense intercepts and orbital debris**

Promoting Cooperative Solutions for Space Sustainability

SECURE WORLD



USNWC Workshop on Milspace Ops and International Law Newport, RI Feb 8-10, 2017

swfound.org

24





- Kinetic missile defense intercepts *may* generate space debris, depending on altitude and velocity of target
- Kinetic attacks on satellites *will* generate large amounts of space debris (thousands+ of pieces)
- Main consequence will be to *raise the probability of collisions* for other space objects
  - Biggest impact will be on objects in same/nearby orbits
  - But will spread to other orbits over time
- Duration of risk could be *days/months/years/decades*, depending on the specifics of altitude and collision mechanics



# **EMERGING AND FUTURE ISSUES**

# **Rendezvous and proximity operations (RPO)**


Promoting Cooperative Solutions for Space Sustainability

SECURE

FOUNDATION

WORLD

"getting up close and (perhaps) touching another space object"



#### Swedish "Mango" satellite imaged by its partner, "Tango"


USNWC Workshop on Milspace Ops and International Law Newport, RI Feb 8-10, 2017

#### China remains silent on satellite rendezvous

BY STEPHEN CLARK SPACEFLIGHT NOW Posted: September 8, 2010

The U.S. Air Force last week acknowledged tracking Chinese satellites secretly testing orbital rendezvous technologies, nearly two weeks after the spacecraft may have bumped into each other more than 350 miles above Earth.

A Department of Defense spokesperson confirmed numerous reports of two satellites deliberately flying in close formation.



Delta II rocket imaged by American XSS-10 swfound.org




- Space-based missile defense interceptors have theoretical advantages over ground-, air-, or sea-based interceptors
  - Perform boost phase intercepts virtually anywhere in the world, at any time
- Nuclear-pumped X-ray lasers
  - Use a nuclear detonation to power an X-ray laser
- Kinetic kill satellites
  - Larger satellites releasing multiple kinetic-kill interceptors
  - 1,000 (or more) microsatellites interceptors
- Major challenges include high costs, inducing an arms race/instability, command and control, and increased congestion of LEO



## **Hypersonic weapons**

#### **An Alternative Weapon**

A powerful conventional weapon currently in development, called Prompt Global Strike, could be an alternative to nuclear warheads. It will be designed to travel halfway around the world from launching to target in less than an hour.



- Goal: to be able to strike fleeting targets anywhere in the world
- Tech: ballistic missile to launch hypersonic glider with a conventional (non-nuclear) weapon on a non-ICBM trajectory

# **Space-to-earth force application**

- Since the 1960s, military planners have considered satellites that can be used to attack targets on Earth
  - Analogous to strategic air bombardment
- Two main technologies

Promoting Cooperative Solutions for Space Sustainability

- Re-entry of hyperkinetic "rods"
- Space-based lasers
- So far air-, sea-, and ground-based capabilities have always proven to be more effective options

30

USNWC Workshop on Milspace Ops and International Law Newport, RI Feb 8-10, 2017



Artist's conception of "Rods from God"



# Thank You. Questions?

bweeden@swfound.org

USNWC Workshop on Milspace Ops and International Law Newport, RI Feb 8-10, 2017